


VIRGINIA SHERIFFS' ASSOCIATION

Name of Dealership	Type of Vehicle	Zone	Base Unit Price
FORD F-450 CHASSIS XL 4X4 SD CR	EW CAB - CA OF 60 (W4H) (Specification #54)		
Hall Automotive	2019 Ford F-450 Chassis XL 4x4 SD Crew Cab (W4H)	★Dogwood	\$36,939.00
Hall Automotive	2019 Ford F-450 Chassis XL 4x4 SD Crew Cab (W4H)	★Colonial	\$36,839.00
Hall Automotive	2019 Ford F-450 Chassis XL 4x4 SD Crew Cab (W4H)	★Heritage	\$36,739.00
Hall Automotive	2019 Ford F-450 Chassis XL 4x4 SD Crew Cab (W4H)	★Chesapeake	\$36,639.00



VIRGINIA SHERIFFS' ASSOCIATION

FORD F-450 CHASSIS XL 4X4 SD CREW CAB - CA OF 60 (W4H) SPECIFICATION #54


2019 Ford F-450 Chassis XL 4x4 SD Crew Cab (W4H)

Contact dealer for WB and CA options.

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

- 1. POWERTRAIN
 - a. 6.8L SOHC 30 valve V-10 engine
- 2. SUSPENSION/HANDLING
 - a. Front and rear 19.5 x 6 argent steel wheels
 - b. Dual rear wheels
 - c. GVWR of 16,500
- 3. **BODY EXTERIOR**
 - a. 4 doors
- 4. CONVENIENCE
 - a. 2 Standard Keys
- 5. SEATS AND TRIM
 - a. 60-40 folding rear split-bench seat
 - b. Front 40-20-40 split-bench seat
- 6. WARRANTY
 - a. Bumper to Bumper: 3 year/36,000 mile
 - b. Powertrain: 5 year/60,000 mile
 - c. Maintenance Plan and Extended Warranty available. Contact dealer for more information.



VIRGINIA SHERIFFS' ASSOCIATION

FORD F-450 CHASSIS XL 4X4 SD CREW CAB - CA OF 60 (W4H) SPECIFICATION #54

2019 Ford F-450 Chassis XL 4x4 SD Crew Cab (W4H)

The Ford F-450 Chassis XL 4x4 SD Crew Cab (W4H) purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and VSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

While the Virginia Sheriffs' Association has attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

Order Code	Delete Options	All Zones
58Y ¹	Radio: Delete (LPO) (Fleet) - REQUIRES valid FIN code	1
572 ¹	Air Conditioning Delete (LPO) - REQUIRES valid FIN code.	1
	Delivery Fee - Dogwood District	
	Delivery Fee - Colonial District	
	Delivery Fee - Heritage District	
	Delivery Fee - Chesapeake District	

Order Code	Add Options	All Zones
99T ¹	Engine: 6.7L 4V OHV Power StrokeV8 Turbo Diesel B20 - Includes intelligent oil-life monitor and turbo gauges.Includes:- Dual 78 AH 750 CCA Batteries- 4.10 Axle Ratio- 220 Amp Extra Heavy-Duty Alternator	1
X4N ¹	Limited Slip w/4.10 Axle Ratio	1
X4L ¹	Limited Slip w/4.30 Axle Ratio	1
$X8L^{-1}$	Limited Slip w/4.88 Axle Ratio	1
THB ¹	Tires: 225/70Rx19.5G BSW Traction - Includes 4 traction tires on the rear and 2 all-season tires on the front. Optional spare is225/70Rx19.5G BSW all-season	1
TGB ¹	Tires: 225/70Rx19.5G BSW MaxTraction - Includes 4 traction tires on the rear and 2 traction tires on the front. Not recommended for over theroad applications; could incur irregular front tire wear and/or NVH. Optional spare is 225/70Rx19.5GBSW traction.	1
512 1	Spare Tire, Wheel & Jack - Excludes carrier.Includes:- 6-Ton Hydraulic Jack	1
945 ¹	Stainless Steel Wheel Covers (PreInstalled) - Custom accessory. Includes front and rear.	1
	CA of 84"	
1 1	Cloth 40/20/40 Split Bench Seat - Includes driver's side manual lumbar, center armrest, cupholder and storage	1
4 1	Cloth 40/Mini-Console/40 Bench Seat - Includes driver's side manual lumbar.Includes:- Mini-Console	1
531 1	Trailer Tow Package - Includes aftermarket trailer brake wiring kit. Trailer brake controller not included. NOTE:Salesperson's Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability.	1
96V ¹	XL Value Package - Includes:- 4.2" Center-Stack Screen- Radio: AM/FM Stereo/Single CD/MP3 Includes 6 speakers Chrome Front Bumper- Steering Wheel-Mounted Cruise Control	1
90L ¹	Power Equipment Group - Includes:- Accessory Delay- Manual Telescoping Folding Trailer Tow MirrorsIncludes power/heated glass, heated convex spotter mirror and integrated clearance lamps/turnsignals MyKeyIncludes owner controls feature Perimeter Anti-Theft Alarm- Power Front & Rear Side Windows Includes 1-touch up and down power driver and front passenger window Power Locks- Remote Keyless Entry	1

67H ¹	Heavy-Service Front Suspension Package - Includes pre-selected heavy-service front springs (see Order Guide Supplemental Reference forsprings/FGAWR of specific vehicle configurations). Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR). NOTE 1:May result in a deterioration of ride quality. NOTE 2: Vehicle ride height will increase with the addition of this package	1
67X ¹	Extra Heavy-Service SuspensionPackage - Includes pre-selected extra heavy-service front springs (see Order Guide Supplemental Referencefor springs/FGAWR of specific vehicle configurations). Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR). NOTE 1:May result in a deterioration of ride quality. NOTE 2: Vehicle ride height will increase with the addition of this package.	1
67P ¹	Extra Heavy-Duty Front EndSuspension - 7,500 GAWR - Includes upgraded front axle and max 7,500 lbs. Front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a finalstage manufacturer	1
473 ¹	Snow Plow Prep Package - Includes pre-selected springs (see Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations). NOTE 1: Restrictions apply; see Supplemental Reference or BodyBuilders Layout Book for details. NOTE 2: Also allows for the attachment of a winch.	1
535 1	High Capacity Trailer Tow Package	1
86S ¹	Low Deflection Package - Includes 2" spacer blocks. Recommended for rear-biased loading, such as wrecker/retriever applications.	1
213 1	4x4 Electronic-Shift-On-The-Fly(ESOF) - Includes manual-locking hubs and auto rotary control on instrument panel.	1
41H_ ¹	Engine Block Heater	1
41P ¹	Transfer Case Skid Plates	1
61J ¹	6-Ton Hydraulic Jack - REQUIRED in Rhode Island	1
62R ¹	Transmission Power Take-Off Provision - Includes mobile and stationary PTO modes.	1
86A ¹	Programmable Engine Idle Shutdown- 5 Minute	1
86B ¹	Programmable Engine Idle Shutdown- 10 Minute	1
86C ¹	Programmable Engine Idle Shutdown- 15 Minute	1
86D ¹	Programmable Engine Idle Shutdown- 20 Minute	1
98R ¹	Operator Commanded Regeneration(OCR) - Includes active regeneration inhibit.	1
18A ¹	Upfitter Interface Module	1
76Z ¹	Advanced Security Pack - Includes SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors	1
67B ¹	Dual Extra Heavy-Duty Alternators(Total 377-Amps)	1
65M ¹	28 Gallon Mid Ship Fuel Tank	1
65C ¹	Dual Diesel Fuel Tanks - Combines 40 gallon aft-of-axle and 28 gallon mid ship tank.	1
63A ¹	Utility Lighting System - Includes LED side-mirror spotlights	1

52B ¹	Trailer Brake Controller - Includes smart trailer tow connector. Verified to be compatible with electronic actuated drumbrakes only.	1
18B ¹	Platform Running Boards	1
872 1	Rear View Camera & Prep Kit - Upfitters kit includes camera with mounting bracket, 14" jumper wire and camera mounting and aiming instructions. Includes cab wiring, frame wiring to the rear most cross member and video display.	1
43B ¹	Defrost w/Fixed Rear Glass	1
435 1	Power-Sliding Rear-Window Illuminated Driver & Passenger Sunvisor Mirrors	1
924 ¹	Privacy Glass	1
41A_ ¹	Rapid-Heat Supplemental CabHeater	1
555 ¹	Rear Inflatable Seat Belts	1
43C ¹	110V/400W Outlet	1
76S ¹	Remote Start System	1
585_ 1	Radio: AM/FM Stereo/Single CD/MP3(Fleet) (LPO) - REQUIRES valid FIN code.Includes 6 speakers	1
91M ¹	SYNC w/MyFord Communications &Entertainment System - Includes voice-activated with 911 Assist and AppLink (includes 1 USB port; compass feature will display in instrumentation center).	1
39S ¹	SiriusXM Satellite Radio - Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii. Subscriptions to all SiriusXM services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees andtaxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.	1
87T ¹	Ford Telematics Powered by Telogis - Ford Work Solutions. Includes 1 year of Ford Telematics powered by Telogis service (requires additional subscription service). Onboard device that tracks vehicle location, speed and idle time with optional vehicle diagnostics and maintenance reports.	1
76C ¹	Exterior Backup Alarm (Pre Installed) - Custom accessory.	1
91S ¹	Amber LED Warning Strobes (PreInstalled) - Custom accessory. Includes center high-mounted stop light bar and 2 hood mounted lights.	1
17F ¹	XL Decor Group - REQUIRES valid FIN code.Includes:- Chrome Front Bumper	1
47A ¹	Ambulance Prep Package (LPO) - REQUIRES valid FIN code.Includes 7000 lbs. max front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances only if equipped with the Ford Ambulance PrepPackage. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Prep Package to produce an ambulance voids the Ford warranty. NOTE: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.Includes:- Dual Extra Heavy-Duty Alternators (Total 377-Amps)- Operator Commanded Regeneration (OCR)Includes active regeneration inhibit.	1

47L ¹	Ambulance Prep Pkg w/SpecialEmissions (LPO) - REQUIRES valid FIN code.Includes EPA Special Emergency Vehicle Emissions and 7000 lbs. max front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders LayoutBook (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depowermode when in stationary PTO operation. NOTE 3: Operator commanded regen allowed down to30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of federally certified emergency vehicles in California.Includes:- Dual Extra Heavy-Duty Alternators (Total 377-Amps)-Operator Commanded Regeneration (OCR)Includes active regeneration inhibit.	
47J ¹	Fire/Rescue Prep Pkg w/EPA Special Emissions (LPO) - REQUIRES valid FIN code.Includes 7000 lbs. max front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete VehicleManual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1:Stationary Elevated Idle Control (SEIC)has been integrated into the engine control module. NOTE2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for thesale of federally certified emergency vehicles in California.Includes:-Dual Extra Heavy-Duty Alternators (Total 377-Amps)- Operator Commanded Regeneration (OCR)Includes active regeneration inhibit.	1
525 1	Steering Wheel-Mounted CruiseControl (LPO) - REQUIRES valid FIN code.	1
942 ¹	Daytime Running Lamps (DRL)(LPO) - REQUIRES valid FIN code.	1
926 1	Speed Limitation - 65 MPH GovernedTop Speed (LPO) - REQUIRES valid FIN code.	1
927 ¹	Speed Limitation - 75 MPH GovernedTop Speed (LPO) - REQUIRES valid FIN code	1
	Call your local dealer for option content as options are subject to change.	